




Product Portfolio

w.e.f. 25th January 2026

life-changing
technology



oticon
life-changing technology

Sr. No.	Family & Model Name	Programming Adapters	Bands / Channel	Fitting dB Upto	Full on Gain	Battery Type / Life Upto	MRP. in ₹
<p>Intent 1  * Sirius™ Platform</p> <p>MoreSound Intelligence™ 3.0 (Level 1), Sensor Technology, Environment Classifier (5 Configurations), Virtual Outer Ear (3 Configurations), Spatial Balancer (100%), Neural Noise Suppression -Difficult / Easy (12dB/6dB), Sound Enhance (3 Configurations), Wind & Handling Stabilizer, MoreSound Amplifier™ 3.0, MoreSound Optimizer, Sudden Sound Stabilizer (6 Configurations), Feedback Shield, Spatial Sound™, Soft Speech Booster, Frequency lowering, Clear Dynamics, Better-Ear Priority, Fitting Bandwidth 10 kHz, Power Bass (streaming), Processing Channels, Fitting Bands, Multiple Directionality options, Adaptation Management, Fitting Formulas, Oticon Companion app, Hands-free communication, Direct streaming, Connect Clip, EduMic, RemoteControl 3.0, TV Adapter 3.0, Phone Adapter 2.0, Tinnitus SoundSupport™, CROS/BiCROS support, Bluetooth LE Audio.</p>							
1	Intent 1 Mini RITE Power	Noahlink Wireless	24 / 64	105	72 dB	Li-ion / 24	₹ 4,25,000 /-
<p>Intent 2  * Sirius™ Platform</p> <p>MoreSound Intelligence™ 3.0 (Level 2), Sensor Technology, Environment Classifier (5 Configurations), Virtual Outer Ear (2 Configurations), Spatial Balancer (60%), Neural Noise Suppression -Difficult / Easy (10dB/4dB), Sound Enhancer (2 Configurations), Wind & Handling Stabilizer, MoreSound Amplifier™ 3.0, MoreSound Optimizer, Sudden Sound Stabilizer (5 Configurations), Feedback Shield, Spatial Sound™, Soft Speech Booster, Frequency lowering, Clear Dynamics, Better-Ear Priority, Fitting Bandwidth 8 kHz, Power Bass (streaming), Processing Channels, Fitting Bands, Multiple Directionality options, Adaptation Management, Fitting Formulas, Oticon Companion app, Hands-free communication, Direct streaming, Connect Clip, EduMic, RemoteControl 3.0, TV Adapter 3.0, Phone Adapter 2.0, Tinnitus SoundSupport™, CROS/BiCROS support, Bluetooth LE Audio.</p>							
2	Intent 2 Mini RITE Power	Noahlink Wireless	20 / 48	105	72 dB	Li-ion / 24	₹ 3,90,000/-
<p>Intent 3  * Sirius™ Platform</p> <p>MoreSound Intelligence™ 3.0 (Level 3), Environment Classifier (3 Configurations), Virtual Outer Ear (1 Configurations), Spatial Balancer (60%), Neural Noise Suppression - Difficult / Easy(8dB/2dB), Sound Enhancer (1 Configurations), Wind & Handling Stabilizer, MoreSound Amplifier™ 3.0, MoreSound Optimizer, Sudden Sound Stabilizer (4 Configurations), Feedback Shield, Spatial Sound™, Soft Speech Booster, Frequency lowering, Better-Ear Priority, Fitting Bandwidth 8 kHz, Power Bass (streaming), Processing Channels, Fitting Bands, Multiple Directionality options, Adaptation Management, Fitting Formulas, Oticon Companion app, Hands-free communication, Direct streaming, Connect Clip, EduMic, RemoteControl 3.0, TV Adapter 3.0, Phone Adapter 2.0, Tinnitus SoundSupport™, CROS/BiCROS support, Bluetooth LE Audio.</p>							
3	Intent 3 Mini RITE Power	Noahlink Wireless	18 / 48	105	72 dB	Li-ion / 24	₹ 3,00,000/-
<p>Intent 4  * Sirius™ Platform</p> <p>MoreSound Intelligence™ 3.0 (Level 4), Environment Classifier, Virtual Outer Ear (1 Configurations), Spatial Balancer (40%), Neural Noise Suppression-Difficult / Easy (6dB/0dB), Sound Enhancer (1 Configurations), Wind & Handling Stabilizer, MoreSound Amplifier™ 3.0, MoreSound Optimizer, Sudden Sound Stabilizer (2 Configurations), Feedback Shield, Spatial Sound™, Soft Speech Booster, Frequency lowering, Fitting Bandwidth 8 kHz, Power Bass (streaming), Processing Channels, Fitting Bands, Multiple Directionality options, Adaptation Management, Fitting Formulas, Oticon Companion app, Hands-free communication, Direct streaming, Connect Clip, EduMic, RemoteControl 3.0, TV Adapter 3.0, Phone Adapter 2.0, Tinnitus SoundSupport™, CROS/BiCROS support, Bluetooth LE Audio.</p>							
4	Intent 4 Mini RITE Power	Noahlink Wireless	14 / 48	105	72 dB	Li-ion / 24	₹ 2,55,000/-

1 Smart Charger Free with Purchase of 2 units of Intent. For Single Unit Purchase the smart charger has to be purchased separately.

(* Works with select Android phones only)

Sr. No.	Family & Model Name	Programming Adapters	Bands / Channel	Fitting dB Upto	Full on Gain	Battery Type / Life Upto	MRP. in ₹
	Jet PX 1	Made for iPhone iPad iPod Works with android*	Polaris™ Platform		“NEW ARRIVAL”		

OpenSound Navigator, Deep Neural Network ,Balancing power effect, Max. noise removal difficult/simple, Speech Guard™, Frequency lowering, Fitting Bandwidth, Bass Boost (streaming), Processing Channels, Feedback Management, Transient Noise Management, Wind Noise Management, Fitting Bands, Multiple Directionality options, Adaptation Management, Hydrophobic Coating, Fitting Formulas, Hands-free communication, Direct streaming, Companion App, ConnectClip, EduMic, Remote Control 3.0, TV Adapter 3.0, Phone Adapter 2.0, Tinnitus SoundSupport™, CROS/BiCROS support

5	JET PX 1 Mini RITE Power (MFI Rechargeable)	Noahlink Wireless	14 / 48	105	72 dB	Li-ion / 24	₹ 1,29,000 /-
---	---	-------------------	---------	-----	-------	-------------	---------------

1 Smart Charger Free with Purchase of 2 units. For Single Unit Purchase The Smart charger has to be purchased separately.

	Jet PX 2	Made for iPhone iPad iPod Works with android*	Polaris™ Platform		“NEW ARRIVAL”		
--	-----------------	--	-------------------	--	---------------	--	--

Multiband Adaptive Directionality, Noise Reduction, Single Compression, Frequency lowering, Fitting Bandwidth, Bass Boost (streaming), Processing Channels, Feedback Management, Wind Noise Management, Fitting Bands, Multiple Directionality options, Adaptation Management, Hydrophobic Coating, Fitting Formulas, Hands-free communication, Direct streaming, Oticon Companion App, ConnectClip, EduMic, Remote Control 3.0, TV Adapter 3.0, Phone Adapter 2.0, Tinnitus SoundSupport™, CROS/BiCROS support

6	JET PX 2 Mini RITE Power (MFI Rechargeable)	Noahlink Wireless	12 / 48	105	72 dB	Li-ion / 24	₹ 67,000 /-
---	---	-------------------	---------	-----	-------	-------------	-------------

1 Desktop Charger Free with Purchase of 2 units. For Single Unit Purchase The Smart charger has to be purchased separately.

7	JET PX 2 Mini RITE Power (MFI Rechargeable)	Noahlink Wireless	12 / 48	105	72 dB	Li-ion / 24	₹ 74,000 /-
---	---	-------------------	---------	-----	-------	-------------	-------------

1 Smart Charger Free with Purchase of 2 units. For Single Unit Purchase The Smart charger has to be purchased separately.

Enter the open sound
experience to
enjoy every moment



Sr. No.	Family & Model Name	Programming Adapters	Bands / Channel	Fitting dB Upto	Full on Gain	Battery Type / Life Upto	MRP. in ₹
---------	---------------------	----------------------	-----------------	-----------------	--------------	--------------------------	-----------

Own 1



Polaris™ Platform

MoreSound Intelligence, Environment configuration, **Virtual Outer Ear**, **Spatial Balancer**, Neural Noise Suppression, Difficult / Easy, Sound Enhancer, Wind Noise Management, MoreSound Amplifier™, Feedback Prevention, **Spatial Sound™**, Soft Speech Booster, Frequency lowering, Clear Dynamics, **Better-Ear Priority**, Fitting Bandwidth 10 kHz, **Bass Boost (Streaming)**, Processing Channels, Fitting Bands, Transit Noise Management, **Multiple Directionality Options**, Adaptation Management, Fitting Formulas, **Oticon Companion app**, **Hands-Free Communication²**, **Direct Streaming**, **ConnectClip**, **EduMic**, **Remote Control 3.0**, **TV Adapter 2.0**, Tinnitus Sound Support optional with PB.

8	Own 1 P ITC	Flex / Noahlink	24 / 64	100	72 dB	312 / 90	₹ 2,50,000 /-
9	Own 1 CIC	Pill Adapter	24 / 64	75	57 dB	10 / 65	₹ 2,50,000 /-
10	Own 1 P CIC	Pill Adapter	24 / 64	90	64 dB	10 / 65	₹ 2,50,000 /-
11	Own 1 IIC	Pill Adapter	24 / 64	75	53 dB	10 / 60	₹ 2,50,000 /-
12	Own 1 P IIC	Pill Adapter	24 / 64	90	58 dB	10 / 60	₹ 2,50,000 /-

Own 3



Polaris™ Platform

MoreSound Intelligence, Environment configuration, **Virtual Outer Ear**, **Spatial Balancer**, Neural Noise Suppression, Difficult / Easy, Sound Enhancer, **Wind Noise Management**, MoreSound Amplifier™, Feedback Prevention, **Spatial Sound™**, Soft Speech Booster, Frequency lowering, Fitting Bandwidth 8 kHz, **Bass Boost (Streaming)**, Processing Channels, Fitting Bands, Transient Noise Management, **Multiple Directionality Options**, Adaptation Management, Fitting Formulas, **Oticon Companion App**, **Hands-Free Communication²**, **Direct Streaming**, **ConnectClip**, **EduMic**, **Remote Control 3.0**, **TV Adapter 2.0**, **Tinnitus Sound Support optional with PB**

13	Own 3 P ITC	Flex / Noahlink	18 / 48	100	72 dB	312 / 90	₹ 1,20,000 /-
14	Own 3 CIC	Pill Adapter	18 / 48	75	57 dB	10 / 65	₹ 1,20,000 /-
15	Own 3 P CIC	Pill Adapter	18 / 48	90	64 dB	10 / 65	₹ 1,20,000 /-
16	Own 3 IIC	Pill Adapter	18 / 48	75	53 dB	10 / 60	₹ 1,20,000 /-
17	Own 3 P IIC	Pill Adapter	18 / 48	90	58 dB	10 / 60	₹ 1,20,000 /-

Own 4



Polaris™ Platform

OpenSound Navigator, Speech Guard , Frequency lowering, **Bass Boost (streaming)**, Processing Channels, Feedback Management, Transient Noise Management, **Wind Noise Management**, Fitting Bands, Fitting bandwidth 8kHz, Multiple Directionality options, Adaptation Management, Fitting Formulas, **Hands-free communication²**, **Direct streaming**, **Oticon Companion app & Oticon RemoteCare app**, **ConnectClip**, **EduMic**, **Remote Control 3.0**, **TV Adapter 3.0**, **Phone Adapter 2.0**, **Tinnitus Sound Support optional with PB**

18	Own 4 P ITC	Flex / Noahlink	14 / 48	100	72 dB	312 / 90	₹ 88,000 /-
19	Own 4 CIC	Pill Adapter	14 / 48	75	57 dB	10 / 65	₹ 88,000 /-
20	Own 4 P CIC	Pill Adapter	14 / 48	90	64 dB	10 / 65	₹ 88,000 /-
21	Own 4 IIC	Pill Adapter	14 / 48	75	53 dB	10 / 60	₹ 88,000 /-
22	Own 4 P IIC	Pill Adapter	14 / 48	90	58 dB	10 / 60	₹ 88,000 /-


Note: 1) Features marked in Green are not applicable for CIC / IIC. | 2) Features marked in Blue are not applicable for IIC.

Sr. No.	Family & Model Name	Programming Adapters	Bands / Channel	Fitting dB Upto	Full on Gain	Battery Type / Life Upto	MRP. in ₹
Own 5		Made For iPhone iPad iPod	Works with android	Polaris™ Platform			

Multi Adaptive Directionality, Noise Reduction, Single Compression, Speech Rescue, Fitting Bandwidth 8 kHz, Bass Boost Streaming, Processing Channel, Feedback Shield, Wind Noise Management, Fitting Band, Multi Directionality Option, Adaptation Management, Fitting Formulas, Oticon Companion app, Hands-Free Communication², Direct Streaming, ConnectClip, EduMic, Remote Control 3.0, TV Adapter 2.0, Tinnitus Sound Support optional with PB

23	Own 5 P ITC	Flex / Noahlink	12 / 48	100	72 dB	312 / 90	₹ 52,000 /-
25	Own 5 CIC	Pill Adapter	12 / 48	75	57 dB	10 / 65	₹ 52,000 /-
26	Own 5 P CIC	Pill Adapter	12 / 48	90	64 dB	10 / 65	₹ 52,000 /-
27	Own 5 IIC	Pill Adapter	12 / 48	75	53 dB	10 / 60	₹ 52,000 /-
28	Own 5 P IIC	Pill Adapter	12 / 48	90	58 dB	10 / 60	₹ 52,000 /-

Note: 1) Features marked in Green are not applicable for CIC / IIC. | 2) Features marked in Blue are not applicable for IIC.




No two people
are the same

Sr. No.	Family & Model Name	Programming Adapters	Bands / Channel	Fitting dB Upto	Full on Gain	Battery Type / Life Upto	MRP. in ₹
Real 1   * Polaris R™ Platform MoreSound Intelligence™ 2.0, Environment configuration, Virtual Outer Ear, Spatial Balancer, Neural Noise Suppression, Difficult / Easy, Sound Enhancer, Wind & Handling Stabilizer MoreSound Amplifier™ 2.0, SuddenSound Stabilizer, Feedback Prevention, Spatial Sound™, Soft Speech Booster, Frequency lowering, Clear Dynamics, Better-Ear Priority, Fitting Bandwidth ¹ 10 kHz, Bass Boost (streaming), Processing Channels, Fitting Bands, Multiple Directionality options, Adaptation Management, Fitting Formulas, Oticon Companion app, Hands-free communication ² , Direct streaming ³ , ConnectClip, EduMic, Remote Control 3.0, TV Adapter 3.0, Phone Adapter 2.0, Tinnitus SoundSupport™, CROS/BiCROS support							
29	Real 1 Mini RITE Power (MFI Rechargeable)	Noahlink Wireless	24 / 64	105	72 dB	Li-ion / 24	₹ 3,50,000 /-
Real 2   * Polaris R™ Platform MoreSound Intelligence™ 2.0, Environment configuration, Virtual Outer Ear, Spatial Balancer, Neural Noise Suppression, Difficult / Easy, Sound Enhancer, Wind & Handling Stabilizer MoreSound Amplifier™ 2.0, SuddenSound Stabilizer, Feedback Prevention, Spatial Sound™, Soft Speech Booster, Frequency lowering, Clear Dynamics, Better-Ear Priority, Bass Boost (streaming), Processing Channels, Fitting Bands, Multiple Directionality options, Adaptation Management, Fitting Formulas, Oticon Companion app, Hands-free communication ² , Direct streaming ³ , ConnectClip, EduMic, Remote Control 3.0, TV Adapter 3.0, Phone Adapter 2.0, Tinnitus SoundSupport™, CROS/BiCROS support							
30	Real 2 Mini RITE Power (MFI Rechargeable)	Noahlink Wireless	20 / 48	105	72 dB	Li-ion / 24	₹ 2,80,000 /-
Real 3   * Polaris R™ Platform MoreSound Intelligence™ 2.0, Environment configuration, Virtual Outer Ear, Spatial Balancer, Neural Noise Suppression, Difficult / Easy, Sound Enhancer, Wind & Handling Stabilizer MoreSound Amplifier™ 2.0, SuddenSound Stabilizer, Feedback Prevention, Spatial Sound™, Soft Speech Booster, Frequency lowering, Bass Boost (streaming), Processing Channels, Fitting Bands, Multiple Directionality options, Adaptation Management, Fitting Formulas, Oticon Companion app, Hands-free communication ² , Direct streaming ³ , ConnectClip, EduMic, Remote Control 3.0, TV Adapter 3.0, Phone Adapter 2.0, Tinnitus SoundSupport™, CROS/BiCROS support							
31	Real 3 Mini RITE Power (MFI Rechargeable)	Noahlink Wireless	18 / 48	105	72 dB	Li-ion / 24	₹ 1,75,000 /-
More 1   * Polaris™ Platform MoreSound Intelligence™, Environment configuration, Virtual Outer Ear, Spatial Balancer, Neural Noise Suppression, Difficult / Easy, Sound Enhancer MoreSound Amplifier™, Feedback Prevention, Spatial Sound™, Soft Speech Booster, Frequency lowering, Clear Dynamics, Better-Ear Priority, Fitting Bandwidth, Bass Boost (streaming), Processing Channels, Transient Noise Management, Wind Noise Management, Fitting Bands, Multiple Directionality options, Adaptation Manager, Fitting Formulas, Stereo streaming (2.4 GHz), Companion App, ConnectClip, EduMic, Remote Control 3.0, TV Adapter 3.0, Phone Adapter 2.0, Tinnitus SoundSupprt™, (Fitting with Noahlink Wireless only)							
32	More 1 Mini RITE Power (MFI Rechargeable)	Noahlink Wireless	24 / 64	105	72 dB	Li-ion / 24	₹ 1,90,000 /-
More 3   * Polaris™ Platform MoreSound Intelligence™, Environment configuration, Virtual Outer Ear, Spatial Balancer, Neural Noise Suppression, Difficult / Easy, Sound Enhancer MoreSound Amplifier™, Feedback Prevention, Spatial Sound™, Soft Speech Booster, Frequency lowering, Fitting Bandwidth, Bass Boost (streaming), Processing Channels, Transient Noise Management, Wind Noise Management, Fitting Bands, Multiple Directionality options, Adaptation Manager, Fitting Formulas, Stereo streaming (2.4 GHz), Companion App, ConnectClip, EduMic, Remote Control 3.0, TV Adapter 3.0, Phone Adapter 2.0, Tinnitus SoundSupport™, (Fitting with Noahlink Wireless only)							
33	More 3 Mini RITE Power (MFI Rechargeable)	Noahlink Wireless	18 / 48	105	72 dB	Li-ion / 24	₹ 1,49,000 /-

Sr. No.	Family & Model Name	Programming Adapters	Bands / Channel	Fitting dB Upto	Full on Gain	Battery Type / Life Upto	MRP. in ₹
---------	---------------------	----------------------	-----------------	-----------------	--------------	--------------------------	-----------

Zircon 1



Polaris™ Platform

OpenSound Navigator™, Balancing power effect, Max. noise removal difficult/simple, Speech Guard™, Frequency lowering, Fitting Bandwidth, Bass Boost (streaming), Processing Channels, Feedback Management, Transient Noise Management, Wind Noise Management, Fitting Bands, Multiple Directionality options, Adaptation Management, Oticon Firmware Updater, Fitting Formulas, Hands-free communication, Direct streaming, Companion App, ConnectClip, EduMic, Remote Control 3.0, TV Adapter 3.0, Phone Adapter 2.0, Tinnitus SoundSupport™, CROS/BiCROS support

34	Zircon 1 Mini RITE Power (MFI Rechargeable)	Noahlink Wireless	14 / 48	105	72 dB	Li-ion / 24	₹ 84,000 /-
----	---	-------------------	---------	-----	-------	-------------	-------------

1 Desktop Charger Free with Purchase of 2 units. For Single Unit Purchase The Desktop Charger has to be purchased separately.

35	Zircon 1 Mini RITE Power (MFI Rechargeable)	Noahlink Wireless	14 / 48	105	72 dB	Li-ion / 24	₹ 98,000 /-
----	---	-------------------	---------	-----	-------	-------------	-------------

1 Smart Charger Free with Purchase of 2 units. For Single Unit Purchase The Smart Charger has to be purchased separately.

Zircon 2



Polaris™ Platform

Multiband Adaptive Directionality, Noise Reduction, Single Compression, Frequency lowering, Fitting Bandwidth, Bass Boost (streaming), Processing Channels, Feedback Management, Wind Noise Management, Fitting Bands, Multiple Directionality options, Adaptation Management, Oticon Firmware Updater, Fitting Formulas, Hands-free communication, Direct streaming, Companion App, ConnectClip, EduMic, Remote Control 3.0, TV Adapter 3.0, Phone Adapter 2.0, Tinnitus SoundSupport™, CROS/BiCROS support

36	Zircon 2 Mini RITE Power (MFI Rechargeable)	Noahlink Wireless	12 / 48	105	72 dB	Li-ion / 24	₹ 59,000 /-
----	---	-------------------	---------	-----	-------	-------------	-------------

1 Desktop Charger Free with Purchase of 2 units. For Single Unit Purchase The Desktop Charger has to be purchased separately.

37	Zircon 2 Mini RITE Power (MFI Rechargeable)	Noahlink Wireless	12 / 48	105	72 dB	Li-ion / 24	₹ 72,000 /-
----	---	-------------------	---------	-----	-------	-------------	-------------

1 Smart Charger Free with Purchase of 2 units. For Single Unit Purchase The Smart Charger has to be purchased separately.

Opn S1

Velox S Platform

OpenSound Navigator, OpenSound Optimizer, Open sound booster, Speech Guard™ LX Level 1, Spatial Sound™ LX 4 Estimators, Soft Speech Booster LX, Speech Rescue™ LX, Clear Dynamics, Spatial Noise Management, 10 kHz Bandwidth, Transient Noise Management (4 Config), Feedback shield LX, Wind Noise Management, YouMatic™ LX, Multiple Directionality Options, Automatic Adaptation Manager, Oticon Firmware Updater, Tinnitus SoundSupport, Binaural Cordination, Binaural Processing, Stereo streaming (2.4 GHz), In-situ audiometry (Genie), Nano Coating, IP 68, Made for iPhone, Companion App, ConnectClip, TV Adaapter 3.0, Remote Control 3.0, Phone Adaptor 2.0., Edumic

38	Opn S1 Mini RITE Power (MFI Rechargeable)	Noahlink Wireless	16 / 64	105	72 dB	Li-ion / 24	₹ 2,51,000 /-
----	---	-------------------	---------	-----	-------	-------------	---------------

1 Desktop Charger Free with Purchase of 2 units of Opn S Instruments. For Single Unit Purchase The charger has to be purchased separately.

Sr. No.	Family & Model Name	Programming Adapters	Bands / Channel	Fitting dB Upto	Full on Gain	Battery Type / Life Upto	MRP. in ₹
---------	---------------------	----------------------	-----------------	-----------------	--------------	--------------------------	-----------

Ruby 1 Velox S Platform

Noise Reduction LX, Multiband Adaptive Directionality LX, Single Compression LX, Speech Rescue™ LX, Fitting Bandwidth, Processing Channels, Bass Boost (streaming), Transient Noise Management, SuperShield, Feedback shield LX, Wind Noise Management, Fitting Bands, Adaptation Management, Oticon Firmware Updater, Multiple Directionality options, Fitting Formulas NAL-NL1+2, DSL v5.0, Stereo streaming (2.4 GHz), Companion App, ConnectClip, Remote Control 3.0, TV Adapter 3.0, Phone Adapter 2.0, EduMic, Tinnitus SoundSupport™ Oticon CROS compatible


39	Ruby 1 Mini RITE Power (MFI Rechargeable)	Noahlink Wireless	10 / 48	105	72 dB	Li-ion / 24	₹ 94,000 /-
----	---	-------------------	---------	-----	-------	-------------	-------------

Ruby 2 Velox S Platform

Noise Reduction LX, Multiband Adaptive Directionality LX, Single Compression LX, Fitting Bandwidth, Processing Channels, Bass Boost (streaming), Feedback shield LX, Wind Noise Management, Fitting Bands, Adaptation Management, Oticon Firmware Updater, Multiple Directionality options, Fitting Formulas NAL-NL1+2, DSL v5.0, Stereo streaming (2.4 GHz), Companion App, ConnectClip, Remote Control 3.0, TV Adapter 3.0, Phone Adapter 2.0, EduMic, Tinnitus SoundSupport™, Oticon CROS compatible

40	Ruby 2 Mini RITE Power (MFI Rechargeable)	Noahlink Wireless	8 / 48	105	72 dB	Li-ion / 24	₹ 48,000 /-
----	---	-------------------	--------	-----	-------	-------------	-------------

1 Desktop Charger Free with Purchase of 2 units of Ruby Instruments. For Single Unit Purchase The charger will be billed at 50% of the MRP.



Connect seamlessly
to the devices you like

Oticon Jet connects via advanced Bluetooth Low Energy technology, giving lower energy consumption than other hearing aids with Bluetooth Classic.

OTICON | Jet

Made for
iPhone | iPad | iPod



Sr. No.	Family & Model Name	Programming Adapters	Bands / Channel	Fitting dB Upto	Full on Gain	Battery Type / Life Upto	MRP. in ₹
---------	---------------------	----------------------	-----------------	-----------------	--------------	--------------------------	-----------

Jet 1



Velox™ Platform

Noise Reduction LX, Single compression LX, Fitting Bandwidth 8 kHz, Feedback Sheild LX, Fitting Formulas NAL-NL1, NAL-NL2 and DSL v 5.0, Multiband Adaptive Directionality LX, Wind Noise Management*, Direct Streaming*, Oticon Companion App*, ConnectClip*, EduMic*, TV Adapter 3.0*, Remote Control 3.0*, Phone Adapter 2.0*, Tinnitus SoundSupport*, Processing Channels, Feedback Management, Fitting Bands, Oticon Remote Care app, Frequency Lowering, Transient Noise Management

41	Jet 1 Mini RITE Power (MFI)	Noahlink / Flex	10 / 48	105	72 dB	312 / 70	₹ 32,000 /-
42	Jet 1 PB P ITC (MFI)	Miniflex/WL	10 / 48	100	72 dB	312 / 65	₹ 36,000 /-
43	Jet 1 CIC	Pill Adapter	10 / 48	75	57 dB	10 / 85	₹ 36,000 /-
44	Jet 1 P CIC	Pill Adapter	10 / 48	85	61 dB	10 / 75	₹ 36,000 /-
45	Jet 1 IIC	Pill Adapter	10 / 48	75	53 dB	10 / 85	₹ 36,000 /-
46	Jet 1 P IIC	Pill Adapter	10 / 48	85	58 dB	10 / 75	₹ 36,000 /-
47	Jet 1 Power Plus BTE (MFI)	Noahlink / CS 44	10 / 48	105	73 dB	13 / 110	₹ 36,000 /-
48	Jet 1 BTE (MFI)	Noahlink / CS 44	10 / 48	85	66 dB	13 / 120	₹ 36,000 /-

Jet 2



Velox™ Platform

Noise Reduction LX, Single compression LX, Fitting Bandwidth 8 kHz, Feedback Sheild LX, Fitting Formulas NAL-NL1, NAL-NL2 and DSL v 5.0, Multiband Adaptive Directionality LX, Wind Noise Management*, Direct Streaming*, Oticon Companion App*, ConnectClip*, EduMic*, TV Adapter 3.0*, Remote Control 3.0*, Phone Adapter 2.0*, Tinnitus SoundSupport*, Processing Channels, Feedback Management, Fitting Bands, Oticon Remote Care app

49	Jet 2 PB P ITC (MFI)	MiniFlex/WL	8 / 48	100	72 dB	312 / 65	₹ 32,000 /-
50	Jet 2 CIC	Pill Adapter	8 / 48	75	57 dB	10 / 85	₹ 32,000 /-
51	Jet 2 P CIC	Pill Adapter	8 / 48	85	61 dB	10 / 75	₹ 32,000 /-
52	Jet 2 IIC	Pill Adapter	8 / 48	75	53 dB	10 / 85	₹ 32,000 /-
53	Jet 2 P IIC	Pill Adapter	8 / 48	85	58 dB	10 / 75	₹ 32,000 /-
54	Jet 2 Power Plus BTE (MFI)	Noahlink / CS 44	8 / 48	105	73 dB	13 / 110	₹ 32,000 /-
55	Jet 2 BTE (MFI)	Noahlink / CS 44	8 / 48	85	66 dB	13 / 120	₹ 32,000 /-

(* Features only available in ITC)

OTICON | Jet



Sr. No.	Family & Model Name	Programming Adapters	Bands / Channel	Fitting dB Upto	Full on Gain	Battery Type / Life Upto	MRP. in ₹
---------	---------------------	----------------------	-----------------	-----------------	--------------	--------------------------	-----------

Opn 1

Velox Platform

OpenSound Navigator, Speech Guard™ LX Level 1 , Spatial Sound™ LX (4 Estimators) , Soft Speech Booster LX, Speech Rescue™ LX, Spatial Noise Management, Clear Dynamics, Transient Noise Management (4 Config), 10 kHz Bandwidth, Feedback shield LX, Wind Noise Management, YouMatic™ LX, Multiple Directionality Options, Automatic Adaptation Manager, Oticon Firmware Updater, Tinnitus Sound Support, Binaural Cordination, Binaural Processing, Stereo streaming (2.4 GHz), IP68, Companion App, ConnectClip 1.1, TV Aadapter 3.0, Remote Control 3.0, Phone Adaptor 2.0, Edumic

56	Opn 1 Power ITC (MFI)	MiniFlex / WL	16 / 64	90	60 dB	312 / 100	₹ 1,75,000 /-
57	Opn 1 CIC	Pill Adapter	16 / 64	80	57 dB	10 / 100	₹ 1,75,000 /-
58	Opn 1 Power CIC	Pill Adapter	16 / 64	90	61 dB	10 / 90	₹ 1,75,000 /-
59	Opn 1 IIC	Pill Adapter	16 / 64	75	53 dB	10 / 100	₹ 1,75,000 /-

Opn 2

Velox Platform

OpenSound Navigator, Speech Guard™ LX Level 2, Spatial Sound™ LX (2 Estimators) , Soft Speech Booster LX, Speech Rescue™ LX, Transient Noise Management (3 Config), Clear Dynamics, Spatial Noise management, Feedback shield LX, Wind Noise Management, 8 kHz Bandwidth, YouMatic™ LX ,Multiple Directionality Options, Automatic Adaptation Manager, Oticon Firmware Updater, Tinnitus Sound Support, Binaural Cordination, Binaural Processing, Stereo streaming (2.4 GHz), In-situ audiometry (Genie), Nano Coating, IP 68, Made for iPhone, Companion App, ConnectClip, TV Adapter 3.0, Remote Control 3.0, Phone Adaptor 2.0, Edumic

60	Opn 2 Mini RITE Power (MFI)	Flex / WL	14 / 48	105	72 dB	312 / 110	₹ 1,36,000 /-
61	Opn 2 Power ITC (MFI)	MiniFlex / WL	14 / 48	90	60 dB	312 / 100	₹ 1,51,000 /-
62	Opn 2 CIC	Pill Adapter	14 / 48	80	57 dB	10 / 100	₹ 1,51,000 /-
63	Opn 2 Power CIC	Pill Adapter	14 / 48	90	61 dB	10 / 90	₹ 1,51,000 /-
64	Opn 2 IIC	Pill Adapter	14 / 48	75	53 dB	10 / 100	₹ 1,51,000 /-
65	Opn 2 Power IIC	Pill Adapter	14 / 48	90	58 dB	10 / 90	₹ 1,51,000 /-



Sr. No.	Family & Model Name	Programming Adapters	Bands / Channel	Fitting dB Upto	Full on Gain	Battery Type / Life Upto	MRP. in ₹
---------	---------------------	----------------------	-----------------	-----------------	--------------	--------------------------	-----------

Opn 3

Velox Platform

OpenSound Navigator, Speech Guard™ LX Level 3, Spatial Sound™ LX (2 Estimators), Soft Speech Booster LX, Speech Rescue™ LX, Transient Noise Management (3 Config), Feedback shield LX, Wind Noise Management, YouMatic™ LX, Multiple Directionality Options, 8 kHz Bandwidth, Automatic Adaptation Manager, Oticon Firmware Updater, Tinnitus SoundSupport, Binaural Cordination, Binaural Processing, Stereo streaming (2.4 GHz), Companion App, In-situ audiometry (Genie), Nano Coating, IP 68, Made for iPhone, ConnectClip, TV Adapter 3.0, Remote Control 3.0, Phone Adaptor 2.0, Edumic

67	Opn 3 Mini RITE Power (MFI)	Flex / WL	12 / 48	105	72 dB	312 / 110	₹ 1,16,000 /-
68	Opn 3 Power ITC (MFI)	MiniFlex / WL	12 / 48	90	60 dB	312 / 100	₹ 1,26,000 /-
69	Opn 3 CIC	Pill Adapter	12 / 48	80	57 dB	10 / 100	₹ 1,26,000 /-
70	Opn 3 Power CIC	Pill Adapater	12 / 48	90	61 dB	10 / 90	₹ 1,26,000 /-
71	Opn 3 IIC	Pill Adapter	12 / 48	75	53 dB	10 / 100	₹ 1,26,000 /-
72	Opn 3 Power IIC	Pill Adapter	12 / 48	90	58 dB	10 / 90	₹ 1,26,000 /-

Xceed 1 UP



Velox S Platform

OpenSound Navigator, OpenSound Optimizer, Open sound BoosterLx, Speech Guard™ LX Level 1, Speech Rescue™ LX, Clear Dynamics, Spatial Noise Management, Bass Boost (streaming), Transient Noise Management (4 Config), Bandwidth 8 kHz, Feedback shield LX, Wind Noise Management, YouMatic™ LX, Adaptation Management, Oticon Firmware Updater, VC range and step size, Binaural Cordination, Binaural Processing, Stereo streaming (2.4 GHz), Tinnitus Sound Support, In-situ audiometry (Genie), Nano Coating, IP 68, Made for iPhone, Companion App, ConnectClip, TV Adapter 3.0, Remote Control 3.0, Phone Adaptor 2.0, Edumic

73	Xceed 1 Ultra Power BTE (MFI)	Noahlink / CS 44	14 / 48	120	87 dB	675 / 250	₹ 1,75,000 /-
----	-------------------------------	------------------	---------	-----	-------	-----------	---------------

Xceed 2 UP



Velox S Platform

OpenSound Navigator, OpenSound Optimizer, Open Sound Booster, Speech Guard™ LX Level 3, Speech Rescue™ LX, Bass Boost (streaming), Transient Noise Management (3 Config), Feedback shield LX, Wind Noise Management, Bandwidth 8 kHz, YouMatic™ LX, Adaptation Management, Oticon Firmware Updater, VC range and step size, Binaural Cordination, Binaural Processing, Stereo streaming (2.4 GHz), IP 68, Companion App, Tinnitus SoundSupport, In-situ audiometry (Genie), ConnectClip, TV Adapter 3.0, Remote Control 3.0, Phone Adaptor 2.0, Edumic

74	Xceed 2 Ultra Power BTE (MFI)	Noahlink / CS 44	12 / 48	120	87 dB	675 / 250	₹ 1,15,000 /-
----	-------------------------------	------------------	---------	-----	-------	-----------	---------------

Xceed 3 UP



Velox S Platform

OpenSound Optimizer, Noise Reduction LX, Multiband Adaptive, Directionality LX, Single compression LX, Speech Rescue™ LX, Bass Boost (streaming), Feedback shield LX, Wind Noise Management, Adaptation Management, Bandwidth 8 kHz, Oticon Firmware Updater, VC range and step size, Binaural Cordination, Binaural Processing, Stereo streaming (2.4 GHz), Companion App, Tinnitus SoundSupport, In-situ audiometry (Genie), Nano Coating, IP 68, Made for iPhone, ConnectClip, TV Adapter 3.0, Remote Control 3.0, Phone Adaptor 2.0, Edumic

75	Xceed 3 Ultra Power BTE (MFI)	Noahlink / CS 44	8 / 48	120	87 dB	675 / 250	₹ 75,000 /-
----	-------------------------------	------------------	--------	-----	-------	-----------	-------------

Sr. No.	Family & Model Name	Programming Adapters	Bands / Channel	Fitting dB Upto	Full on Gain	Battery Type / Life Upto	MRP. in ₹
---------	---------------------	----------------------	-----------------	-----------------	--------------	--------------------------	-----------

Xceed 2 SP



Velox S Platform

OpenSound Navigator, OpenSound Optimizer, Open Sound Booster, Speech Guard™ LX Level 3, Speech Rescue™ LX, Bass Boost (streaming), Transient Noise Management (3 Config), Feedback shield LX, Wind Noise Management, Bandwidth 8 kHz, YouMatic™ LX, Adaptation Management, Oticon Firmware Updater, VC range and step size, Binaural Cordination, Binaural Processing, Stereo streaming (2.4 GHz), IP 68, Companion App, Tinnitus SoundSupport, In-situ audiometry (Genie), ConnectClip, TV Adapter 3.0, Remote Control 3.0, Phone Adaptor 2.0, Edumic

76	Xceed 2 Super Power BTE (MFI)	Noahlink / CS 44	12 / 48	110	83 dB	13 / 115	₹ 75,000 /-
----	-------------------------------	------------------	---------	-----	-------	----------	-------------

Xceed 3 SP



Velox S Platform

OpenSound Optimizer, Noise Reduction LX, Multiband Adaptive, Directionality LX, Single compression LX, Speech Rescue™ LX, Bass Boost (streaming), Feedback shield LX, Wind Noise Management, Adaptation Management, Bandwidth 8 kHz, Oticon Firmware Updater, VC range and step size, Binaural Cordination, Binaural Processing, Stereo streaming (2.4 GHz) Companion App, Tinnitus SoundSupport, In-situ audiometry (Genie), Nano Coating, IP 68, Made for iPhone, ConnectClip, TV Adapter 3.0, Remote Control 3.0, Phone Adaptor 2.0, Edumic

77	Xceed 3 Super Power BTE (MFI)	Noahlink / CS 44	8 / 48	110	83 dB	13 / 115	₹ 49,000 /-
----	-------------------------------	------------------	--------	-----	-------	----------	-------------

PG 10



Velox S Platform

“NEW ARRIVAL”

OpenSound Optimizer, Noise Reduction LX, Multiband Adaptive Directionality LX, Single compression LX, Speech Rescue™ LX, Bass Boost (Streaming), Feedback shield LX, Wind Noise Management, Adaptation Management, Bandwidth 6 kHz, Oticon Firmware Updater, VC range and step size, Binaural Coordination, Stereo Streaming (2.4 GHz), RemoteLink 2 App, Tinnitus SoundSupport, In-situ audiometry (Genie), Nano Coating (IP 68), Made for iPhone,

78	Oticon PG 10 SP BTE (MFI)	Noahlink / CS 44	8 / 48	110	83 dB	13 / 115	₹ 38,000 /-
----	---------------------------	------------------	--------	-----	-------	----------	-------------

79	Oticon PG 10 UP BTE (MFI)	Noahlink / CS 44	8 / 48	120	87 dB	675 / 250	₹ 53,000 /-
----	---------------------------	------------------	--------	-----	-------	-----------	-------------

PG 30



Velox S Platform

“NEW ARRIVAL”

OpenSound Navigator, OpenSound Optimizer, Open Sound Booster, Speech Guard™ LX Level 3, Speech Rescue™ LX, Bass Boost (streaming), Transient Noise Management (2 Config), Feedback shield LX, Wind Noise Management, Bandwidth 8 kHz, YouMatic™ LX, Adaptation Management, Oticon Firmware Updater, VC range and step size, Binaural Cordination, Binaural Processing, Stereo streaming (2.4 GHz), IP 68, RemoteLink 2 App, Tinnitus SoundSupport, In-situ audiometry (Genie),

80	Oticon PG 30 SP BTE (MFI)	Noahlink / CS 44	12 / 48	110	83 dB	13 / 115	₹ 43,000 /-
----	---------------------------	------------------	---------	-----	-------	----------	-------------

81	Oticon PG 30 UP BTE (MFI)	Noahlink / CS 44	12 / 48	120	87 dB	675 / 250	₹ 62,000 /-
----	---------------------------	------------------	---------	-----	-------	-----------	-------------

CROS / BiCROS

Oticon CROS paired with a compatible Oticon hearing aid is a Contralateral Routing of Signal (CROS) amplification system. Sounds are picked up by the microphones in the CROS transmitter located on the poorer ear. Then, they are transmitted via Near-Field Magnetic Induction (NFMI) to a receiving hearing aid located on the better ear. If some hearing loss is present in the better ear, the solution is set up as a Bilateral Contralateral Routing of Signal (BiCROS) configuration. Compatibility : Intent, Real, More, Zircon, Opn S 1, Opn S 2, Ruby, Xceed, PG

82	CROS / BiCROS					312 / 100	₹ 38,000 /-*
----	---------------	--	--	--	--	-----------	--------------

83	CROS / CROS PX (Rechargeable)					Li-ion / 24	₹ 52,000 /-*
----	---------------------------------	--	--	--	--	-------------	--------------

*Warranty 12 months

Sr. No.	Family & Model Name	Programming Adapters	Bands / Channel	Fitting dB Upto	Full on Gain	Battery Type / Life Upto	MRP. in ₹
---------	---------------------	----------------------	-----------------	-----------------	--------------	--------------------------	-----------

Siya 1



Velox Platform

Noise Reduction LX, Multiband Adaptive Directionality LX, Single Compression LX, Speech Rescue™ LX, Bass Boost (streaming), Transient Noise Management, Tinnitus SoundSupport™, Feedback shield LX, Wind Noise Management, Adaptation Management, Oticon Firmware Updater, Binaural Cordination, Binaural Synchronization, Stereo streaming (2.4 GHz), Companion App, In-situ audiometry (Genie), Nano Coating, IP 68, Made for iphone, ConnectClip, TV Adapter 3.0, Remote Control 3.0, Phone Adaptor 2.0, Edumic

84	Siya 1 Mini RITE Power (MFI)	Flex / WL	10 / 48	105	72 dB	312 / 70	₹ 70,000 /-
85	Siya 1 Power IIC	Pill Adapter	10 / 48	90	58 dB	10 / 70	₹ 70,000 /-

Siya 2



Velox Platform

Noise Reduction LX, Multiband Adaptive Directionality LX, Single Compression LX, Bass Boost (streaming), Feedback shield LX, Wind Noise Management, Adaptation Management, Binaural Cordination, Binaural Synchronization, Oticon Firmware Updater, Stereo streaming (2.4 GHz), Companion App, In-situ audiometry (Genie), Nano Coating, IP 68, Made for iphone, ConnectClip, TV Adapter 3.0, Remote Control 3.0, Phone Adaptor 2.0, Edumic

86	Siya 2 Power Plus BTE (MFI)	CS 44 Cable / WL	8 / 48	105	73 dB	13 / 110	₹ 45,000 /-
87	Siya 2 Mini RITE Power (MFI)	Flex / WL	8 / 48	105	72 dB	312 / 70	₹ 45,000 /-
88	Siya 2 Power ITC (MFI)	Mini Flex / WL	8 / 48	100	60 dB	312 / 65	₹ 45,000 /-
89	Siya 2 IIC	Pill Adapter	8 / 48	75	53 dB	10 / 80	₹ 45,000 /-
90	Siya 2 Power IIC	Pill Adapter	8 / 48	90	58 dB	10 / 70	₹ 45,000 /-



Sr. No.	Family & Model Name	Programming Adapters	Bands / Channel	Fitting dB Upto	Full on Gain	Battery Type / Life Upto	MRP. in ₹
---------	---------------------	----------------------	-----------------	-----------------	--------------	--------------------------	-----------

Alta 2 Pro

Inium Sense Platform

Speech Guard E, Soft Speech Booster, Spatial Sound Premium, Binaural Processing, Binaural Synchronisation, Binaural Coordination, YouMatic premium, Personal Profile 5, Life learning, 10 kHz Bandwidth, Transient Management, Binaural noise management, Inium Sense feedback shield, Free Focus premium, Automatics(Tri mode), Multiple band adaptive directionality, Automatic Adaption Manger, Back dir, Power Bass, Music Widening, Special Purpose programs (music, lecture etc.) data logging ,T-coil, Tinnitus Sound Support Only Ti Model, TV ConnectLine, Streamer Pro, Remote Control, In-situ audiometry, IP58, Nano Coating.

91	Alta 2 Pro Power BTE (WL)	White Adapter / WL	10 / 16	105	73 dB	13 / 240	₹ 2,41,000 /-
92	Alta 2 Pro Power D ITC (WL)	Mini Flex / WL	10 / 16	100	64 dB	312 / 140	₹ 2,41,000 /-
93	Alta 2 Pro Power CIC (WL)	Mini Flex / WL	10 / 16	90	59 dB	10 / 100	₹ 2,41,000 /-
94	Alta 2 Pro CIC (WL)	Mini Flex / WL	10 / 16	80	49 dB	10 / 100	₹ 2,41,000 /-

Alta 2

Inium Sense Platform

Speech Guard E, Soft Speech Booster, Binaural Synchronisation, Binaural Coordination, YouMatic Premium, Personal Profiles 5, Transient Management, Inium Sense feedback shield, Free Focus Premium, Automatics(Tri mode), Multiple band adaptive directionality, 10 kHz Bandwidth, Back dir, Life learning, Automatic Adaption Manager, Power Bass, Music Widening, Special Purpose programs (music, lecture etc.), Data logging, TV ConnectLine, Streamer Pro, Remote Control, In-situ audiometry, IP58 water resistant certified, Nano Coating.

95	Alta 2 Mini Power RITE (WL)	Flex / WL	10 / 16	105	72 dB	312 / 130	₹ 2,11,000 /-
96	Alta 2 DP PB ITC (WL)	Mini Flex / WL	10 / 16	100	64 dB	312 / 140	₹ 2,11,000 /-
97	Alta 2 Power CIC (WL)	Mini Flex / WL	10 / 16	90	59 dB	10 / 100	₹ 2,11,000 /-
98	Alta 2 Power CIC	Mini Flex	10 / 16	90	59 dB	10 / 100	₹ 2,11,000 /-

Alta Pro

Inium Platform

Speech Guard E, Spatial Sound Premium, Spatial Noise Management, YouMatic Premium, Binaural Processing, Binaural Synchronisation, Binaural Coordination, Binaural Noise Management, Auto tri directionality, multiple band dapative directionality, Transient Management, Free Focus Premium, Life learning, 10 kHz Bandwidth, Inium feedback shield, personal profile 5, Automatic Adaption Manager, Artificial Intelligence, Power Bass, Music Widening, Memory for Data logging, T-coil, TV ConnectLine, Streamer Pro, Remote Control, In-situ audiometry, Nano Coating, Battery Low warning

99	Alta Pro DP ITC (WL)	Mini Flex / WL	10 / 16	100	64 dB	312 / 140	₹ 1,71,000 /-
100	Alta Pro Power CIC (WL)	Mini Flex / WL	10/16	90	59 dB	10 / 100	₹ 1,71,000 /-
101	Alta Pro IIC (WL)	Mini Flex / WL	10/16	75	45 dB	10 / 100	₹ 1,71,000 /-
102	Alta Pro CIC	Mini Flex	10/16	80	49 dB	10 / 100	₹ 1,71,000 /-
103	Alta Pro IIC	Mini Flex	10/16	75	45 dB	10 / 100	₹ 1,71,000 /-

Sr. No.	Family & Model Name	Programming Adapters	Bands / Channel	Fitting dB Upto	Full on Gain	Battery Type / Life Upto	MRP. in ₹
---------	---------------------	----------------------	-----------------	-----------------	--------------	--------------------------	-----------

Alta

Inium Platform

Speech Guard E, YouMatic Premium, Binaural Synchronisation, Binaural Coordination, Transient Management, Free Focus Premium, Personal Profile 5, Automatic Adaption Manager, Life Learning, Auto tri directionality, Multiple Band Adaptive directionality, Inium feedback shield, 10 kHz Bandwidth, Artificial Intelligence, Power Bass, Music Widening, Memory for Data logging, T-coil, TVConnect Line, Streamer Pro, Remote Control, In-situ audiometry, Nano Coating, Battery Low warning.

104	Alta DP PB ITC (WL)	Mini Flex / WL	10 / 16	100	64 dB	312 / 100	₹ 1,51,000 /-
105	Alta Power CIC (WL)	Mini Flex / WL	10 / 16	90	59 dB	10 / 100	₹ 1,51,000 /-
106	Alta Power CIC	Mini Flex	10 / 16	90	59 dB	10 / 100	₹ 1,51,000 /-

Alta 1 Pro

Inium Platform

Speech Guard E, Binaural Noise Management, Spatial Sound Premium, Binaural Processing, Binaural Synchronisation, Binaural Coordination, YouMatic, Personal Profiles 5, Transient Management, Tristate noise management, Inium Sense feedback shield, Free Focus Premium, Auto tri directionality, Multiple band adaptive directionality, 10 kHz Bandwidth, Back dir, Power Bass, Music Widening, Special Purpose programs (music, lecture etc.), life learning, Automatic Adaption Manager, Memory for data logging, T-coil, Tinnitus SoundSupport, TV ConnectLine, Streamer Pro Remote Control, In-situ audiometry, Nano Coating, Battery Low warning.

107	Alta 1 Pro RITE Power (WL)	White Adapter / WL	10 / 16	100	66 dB	312 / 130	₹ 1,26,000 /-
108	Alta 1 Pro Mini BTE	CS 44 Cable / WL	10 / 16	85	62 dB	312 / 130	₹ 1,26,000 /-

Nera 2 Pro

Inium Sense Platform

Inium Sense feedback shield, Soft Speech Booster, Spatial Sound(Advanced), Binaural Processing, Binaural Synchronisation, Binaural Coordination, YouMatic (Advanced), Personal Profiles 3, Transient Management, Tristate noise management, Free Focus(Advanced), Automatics (Tri mode), Multiple band adaptive directionality, 8 kHz bandwidth, automatic adaption manager, Tinnitus Support system (Ti Model Only), IP 58, Back dir, Power Bass, Music Widening, Special Purpose programs (music, lecture etc.), Learning, Bluetooth wireless Fitting, Memory, Streamer Pro, TV connectline, remote control, In-situ audiometry (Genie), Nano Coating, Battery Low warning.

109	Nera 2 Pro Power BTE (WL)	White Adapter / WL	8 / 16	100	68 dB	13 / 240	₹ 43,000 /-
110	Nera 2 Pro Power ITC (WL)	Mini Flex / WL	8 / 16	100	64 dB	312 / 140	₹ 43,000 /-



Sr. No.	Family & Model Name	Programming Adapters	Bands / Channel	Fitting dB Upto	Full on Gain	Battery Type / Life Upto	MRP. in ₹
---------	---------------------	----------------------	-----------------	-----------------	--------------	--------------------------	-----------

Geno 1

Quad Core Chip Platform

Binaural Synchronisation, Binaural Coordination, Back dir*, Single Compression, YouMatic, Fitting Bandwidth 8 kHz, Geno feedback shield, Adaption Management, Special Purpose programs (music, lecture etc.), Free Focus, Automatics Tri Mode, Memory, Learning, T-coil, AutoPhone Program, Noise Management, Power Bass (streaming), Music Widening (streaming), Single band Directionality, NAL-NL1, NAL-NL2 and DSL v5.0a m[i/o], Flexible miniFit receiver system, DAI input and FM option, In-situ audiometry (Genie), IP68 water & dust resistant certified (all custom instruments), IP58 water resistant certified (all behind the ear instruments)

111	Geno 1 Mini RITE	Flex	6 / 15	100	59 dB	312 / 130	₹ 29,500 /-
112	Geno 1 P D BTE	White Adapter	6 / 15	100	68 dB	13 / 240	₹ 29,500 /-
113	Geno 1 P D ITC	Mini Flex	6 / 15	100	64 dB	312 / 140	₹ 29,500 /-
114	Geno 1 P CIC	Mini Flex	6 / 15	85	59 dB	10 / 100	₹ 29,500 /-
115	Geno 1 CIC	Pill Adapter	6 / 15	80	49 dB	10 / 100	₹ 29,500 /-

Nera 2

Inium Sense Platform

Inium Sense feedback shield, Soft Speech Booster, Binaural Synchronisation, Binaural Coordination, YouMatic(Advanced), Personal Profiles 3, Transient Management, Free Focus(Advanced), Automatics(Tri mode), Single Band adaptive directionality, 8 kHz Bandwidth, Automatic Adaption Manager, Back dir, Power Bass, Music Widening, Special Purpose programs (music, lecture etc.), Learning, IP 58, Wireless Fitting, Streamer Pro, TV connectline, Remote Control, In-situ audiometry (Genie), Nano Coating, Memory, Battery Low warning.

116	Nera 2 Power BTE (WL)	White Adapter / WL	6 / 16	100	68 dB	13 / 240	₹ 29,500 /-
117	Nera 2 Power ITC (WL)	Mini Flex / WL	6 / 16	100	64 dB	312 / 140	₹ 29,500 /-

Ria 2 Pro

Inium Sense Platform

Binaural Synchronisation, Binaural Coordination, YouMatic Essential, Personal Profiles 3, Inium Sense feedback shield, Free Focus Essential, Automatics(Dual mode), Single Band adaptive Directionality, 8 kHz Bandwidth, Special Purpose programs (music, lecture etc.), Tinnitus Support system (Ti Model Only), Noise management, Automatic Adaption Manager, TV ConnectLine, Streamer Pro, Remote Control, In-situ audiometry (Genie), IP58, Memory, Nano Coating, Battery Low warning.

118	Ria 2 Pro Power BTE (WL)	White Adapter / WL	6 / 16	100	68 dB	13 / 240	₹ 37,000 /-
119	Ria 2 Pro TI Mini RITE Power (WL)	Flex / WL	6 / 16	100	66 dB	312 / 130	₹ 37,000 /-
120	Ria 2 Pro Power ITC (WL)	Mini Flex / WL	6 / 16	100	64 dB	312 / 140	₹ 37,000 /-
121	Ria 2 Pro CIC	Mini Flex / WL	6 / 16	80	49 dB	10 / 100	₹ 37,000 /-

Sr. No.	Family & Model Name	Programming Adapters	Bands / Channel	Fitting dB Upto	Full on Gain	Battery Type / Life Upto	MRP. in ₹
---------	---------------------	----------------------	-----------------	-----------------	--------------	--------------------------	-----------

G 60



Velox™ Platform

“NEW ARRIVAL”

Noise Reduction LX, Single compression LX, Fitting Bandwidth 8 kHz, Feedback shield LX, Fitting Formulas NAL-NL1, NAL-NL2 and DSL v 5.0, Multiband Adaptive Directionality LX, Wind Noise Management, Direct Streaming, Tinnitus SoundSupport, Bass Boost Streaming, Binaural coordination, Listening Program, Multiple Directionality Option, Adaptation Manager, RemoteLink 2 App.

122	G 60 P ITC (MFI)	MiniFlex / WL	8 / 48	100	72 dB	312 / 60	₹ 27,000 /-
123	G 60 CIC	Pill Adapter	8 / 48	75	57 dB	10 / 80	₹ 27,000 /-
124	G 60 Power CIC	Pill Adapter	8 / 48	85	61 dB	10 / 70	₹ 27,000 /-
125	G 60 IIC	Pill Adapter	8 / 48	75	53 dB	10 / 80	₹ 27,000 /-
126	G 60 Power IIC	Pill Adapter	8 / 48	85	58 dB	10 / 70	₹ 27,000 /-
127	G 60 Power Plus BTE (MFI)	Noahlink / CS 44	8 / 48	105	73 dB	13 / 105	₹ 27,000 /-

G 80



Velox™ Platform

“NEW ARRIVAL”

Noise Reduction LX, Single compression LX, Fitting Bandwidth 8 kHz, Feedback shield LX, Fitting Formulas NAL-NL1, NAL-NL2 and DSL v 5.0, Multiband Adaptive Directionality LX, Wind Noise Management, Direct Streaming, Tinnitus SoundSupport, Bass Boost Streaming, Binaural coordination, Listening Program, Multiple Directionality Option, Adaptation Manager, RemoteLink 2 App, Speech Rescue, Transient Noise Management.

128	G 80 Power Plus BTE (MFI)	Noahlink / CS 44	10 / 48	105	73 dB	13 / 105	₹ 30,000 /-
-----	---------------------------	------------------	---------	-----	-------	----------	-------------

Ria 2

Inium Sense Platform

Binaural Coordination, YouMatic Essential, Personal Profile 3, Inium Sense feedback shield, Free Focus Essential, Automatics(Dual mode), Single Band Adaptive Directionality, 8 kHz Bandwidth, Manual Adaption Manager, Special Purpose programs (music, lecture etc.), Noise Management, IP 58, Memory, TV ConnectLine, Streamer Pro, Remote Control, In-situ audiometry (Genie), Nano Coating, Battery Low warning.

129	Ria 2 Power BTE (WL)	White Adapter / WL	4 / 16	100	68 dB	13 / 240	₹ 29,000 /-
130	Ria 2 Mini RITE Power (WL)	Flex / WL	4 / 16	105	72 dB	312 / 130	₹ 29,000 /-
131	Ria 2 Power ITC (WL)	Mini Flex / WL	4 / 16	100	64 dB	312 / 140	₹ 29,000 /-
132	Ria 2 Power CIC	Mini Flex / WL	4 / 16	90	59 dB	10 / 100	₹ 29,000 /-

Sr. No.	Family & Model Name	Programming Adapters	Bands / Channel	Fitting dB Upto	Full on Gain	Battery Type / Life Upto	MRP. in ₹
---------	---------------------	----------------------	-----------------	-----------------	--------------	--------------------------	-----------

Dynamo SP 10

Inium Sense Platform

Personal profile 5, Speech Rescue™, Speech Guard E, Binaural Noise Management, Binaural Synchronisation, Binaural Coordination, YouMatic Premium, Auto Tri Directionality, Multiple Band Adaptive Directionality, Transient Noise Management, Tristate noise management, Inium Sense feedback shield, Free FocusPremium, Bandwidth 6.5 kHz, Back dir, Power Bass, Music Widening, Voice Priority™, Special Purpose programs, Easy RECD™, Memory, T-coil, TV ConnectLine, Streamer and Remote control, In-situ audiometry (Genie), IP 58, Analogue volume control w/ mute, Nano Coating, Battery Low warning.

133	Dynamo SP 10 BTE (WL)	White Adapter / WL	9 / 16	120	82 dB	13 / 246	₹ 80,000 /-
-----	-----------------------	--------------------	--------	-----	-------	----------	-------------

Dynamo SP 8

Inium Sense Platform

Personal profile 3, Speech Rescue™, Speech Guard E, Binaural Synchronisation, Binaural Coordination, YouMaticAdvanced, Tristate Noise Management, Inium Sense feedback shield, Free FocusAdvanced, Auto Tri Directionality, Multiple Band Adaptive Directionality, Bandwidth 6.5 kHz, Back dir, Voice Priority™, Special Purpose programs, Easy RECD™, Memory, T-coil, TV ConnectLine, Streamer Pro and Remote control, In-situ audiometry, IP 58, Analogue volume control w/ mute Battery Low warning.

134	Dynamo SP 8 BTE (WL)	White Adapter / WL	8 / 16	120	82 dB	13 / 246	₹ 70,000 /-
-----	----------------------	--------------------	--------	-----	-------	----------	-------------

Dynamo SP 6

Inium Sense Platform

Personal profile 3, Speech Rescue™, Binaural Coordination, YouMatic Essential, Noise Management, Inium Sense feedback shield, Free Focus Essential, Auto Dual Directionality, Single Band Adaptive Directionality, Back dir, Voice Priority™, Special Purpose programs, Easy RECD™, Bandwidth 6.5 kHz, Memory, T-coil, TV ConnectLine, Streamer Pro and Remote control, In-situ audiometry (Genie), IP 58, Analogue volume control w/ mute, Nano Coating, Battery Low warning.

135	Dynamo SP 6 BTE (WL)	White Adapter / WL	6 / 16	120	82 dB	13 / 246	₹ 35,000 /-
-----	----------------------	--------------------	--------	-----	-------	----------	-------------

Dynamo SP 4

Inium Sense Platform

Personal profile 1, Speech Rescue™, Binaural Coordination, Noise Management, Inium Sense feedback shield, Free Focus Basic, Manual Directionality, Single Band Adaptive Directionality, Back dir, Voice Priority™, Bandwidth 6.5 kHz, Memory, T-coil, TV ConnectLine, Streamer Pro and Remote control, In-situ audiometry (Genie), IP 58, Analogue volume control w/ mute, Nano Coating, Battery Low warning.

136	Dynamo SP 4 BTE (WL)	White Adapter / WL	4 / 16	120	82 dB	13 / 246	₹ 28,000 /-
-----	----------------------	--------------------	--------	-----	-------	----------	-------------

Sr. No.	Family & Model Name	Programming Adapters	Bands / Channel	Fitting dB Upto	Full on Gain	Battery Type / Life Upto	MRP. in ₹
---------	---------------------	----------------------	-----------------	-----------------	--------------	--------------------------	-----------

INO Pro

RISE 2 Platform

Binaural Coordination, Dynamic Feedback Cancellation (DFC2), Artificial Intelligence Essential, Single Band Adaptive Directionality, Automatic Directionality, Noise management, 8 kHz Bandwidth, Identities, Automatic Adaptation manager, Streamer & TV ConnectLine enabled, nEARcom Cordless enabled, In-situ audiometry (Genie), Nano Coating, Data Logging.

137	Ino Pro BTE (WL)	White Adapter / WL	6 / 6	85	60 dB	13 / 220	₹ 31,000 /-
138	Ino Pro D ITC (WL)	Pill Adapter / WL	6 / 6	85	51 dB	312 / 117	₹ 31,000 /-

Geno 2

Quad Core Chip Platform

Binaural Coordination, Single Compression, YouMatic, Fitting Bandwidth 8 kHz, Geno feedback shield, Adaption Management, Special Purpose programs (music, lecture etc.), Free Focus, Automatics Dual Mode, Memory, T-coil, AutoPhone Program, Noise Management, Single band Directionality, NAL-NL1, NAL-NL2 and DSL v5.0a m[i/o], DAI input and FM option, In-situ audiometry (Genie), IP68 water & dust resistant certified (all custom instruments), IP58 water resistant certified (all behind the ear instruments)

139	Geno 2 D BTE	White Adapter	6 / 15	85	61 dB	13 / 270	₹ 21,000 /-
140	Geno 2 P CIC	Mini Flex	6 / 15	85	59 dB	10 / 100	₹ 25,000 /-

Tego ***

Jump Platform

DecisionMaker™ - general program enabled by Artificial Intelligence. Identities, Directionality (except CIC/MIC), Automatic Directionality, Surround Mode, Noise Management, Noise Management, Dynamic Feedback Cancellation, Many options and programs for Phone use, Up to three customizable programs, Program sound indicators (beeps), Standby function, On-set delay, Volume Control

141	Tego D VC BTE	Adapter	4 / 4	90	61 dB	13 / 220	₹ 25,000 /-
142	Tego D P ITC	Flex	4 / 4	85	51 dB	312 / 120	₹ 25,000 /-
143	Tego D ITC (VC)	Flex	4 / 4	85	51 dB	312 / 120	₹ 25,000 /-



MFI / Android Hearing Aid Accessories

Connectclip 1.1

Use the ConnectClip hearing aid accessory to make hands-free phone calls, stream music, serve as a remote microphone, or use as a remote control with ConnectClip.



Price ₹ **23,600/-**

EduMic

Oticon EduMic Wireless Remote Microphone System Delivers World-Class Sound in Noisy, Reverberant Classrooms. EduMic is a new wireless remote microphone system to support children with hearing loss in the classroom.



Price ₹ **41,300/-**

TV Adapter 3.0

Stream your favorite programs to your hearing aids and enjoy them at the volume you choose. The TV Adapter connects to almost any audio device using the cables provided.



Price ₹ **23,600/-**

Remote Control 3.0

With the remote control, the hearing aid user can perform the most common everyday adjustments.

- Volume up/down
- Select program
- Mute hearing aids



Price ₹ **23,600/-**

Phone Adapter 2.0

The Phone Adapter pairs with ConnectClip and works with your existing home analog landline phone to turn your hearing instruments into a wireless headset



Price ₹ **23,600/-**

Rechargeable Batteries

With Oticon rechargeable batteries, Patients can save up to 150-200 batteries per year



Price ₹ **2,242/-**

Receiver for Intent



Price ₹ **9,440/-**

Desktop Charger



Price ₹ **11,210/-**

Smart Charger



Price ₹ **21,240/-**

- * Hearing Aids of Families Marked with *** will be available till stock last.
- * Battery Life of W/L and MFI instruments may vary depending on usage of wireless Devices
- * Warranty on all Accessories - 1 year
- * Warranty on Mini RITE Receiver & Rechargeable Batteries - 2 years
- * Accessories MRP are inclusive of GST

Warranty Period

- Hearing aid with MRP equal and upto 30,000/- 24 Months Warranty
- Hearing aid with MRP above 30,000/- 30 Months Warranty

- Hearing aid with MRP above 1,26,000/- 36 Months Warranty
- Hearing aid with MRP above 2,00,000/- 42 Months Warranty



Otic Hearing Solutions Pvt. Ltd.

Sai Sangam, Office No. 707, 7th Floor, Plot No. - 85, Sector 15, CBD Belapur, Navi Mumbai - 400 614.

Tel.: 022-2756 44 81 E-mail: eliteorgo@gmail.com www.oticonindia.com